



DUMP BODIES



YOUR WORK. YOUR VEHICLE. TRUST



www.knapheide.com



KNAPHEIDE DUMP BODIES

The Knapheide Dump Body is where style, versatility, and durability come together. When landscape or general contractors need a productive dump body that will last a lifetime, they choose the Knapheide Dump Body every time.

Our Dump Bodies are available in 9'6" to 11'6" lengths and side heights of 12" or 16" to accommodate 2.5 to 4 cubic yard carrying capacity. Models are offered with either stacked crossmembers or crossmemberless understructures and rigid or drop. Select from a variety of options to make your Dump Body a perfect fit.

STANDARD FEATURES

- A** Sides and tailgate feature self-cleaning sloped top rails and lower rails
- B** Sides are constructed of 12 gauge high tensile steel
- C** 2x6 side board pockets on the sides at the front and rear allow for increased load capacity
- D** Versatile double acting tailgate in order to accommodate both drop down pick-up style and spreader applications
- E** Quick release, one-handed lever for easy drop down action on the tailgate
- F** Toe saver brackets located on both sides of the end rail for operator safety
- G** Rear corner posts equipped with a hook on each side for an optional tarp
- H** Quarter cab protector constructed of 10 gauge high tensile steel with a punched window for visibility



*Body may be shown with optional features

Other features not shown above:

- Double panel tailgate construction with 12 gauge HY50 outer panel and 10 gauge HY50 inner panel
- Crossmemberless models (shown above) feature fully boxed long sills constructed of 7 gauge HRCQ steel and run the entire length of the floor, stacked crossmember models feature 3" structural steel cross sills with 6" structural steel long sills
- Crossmemberless models feature two piece 7 gauge HRCQ steel floor with full seam weld down the center, stacked crossmember models feature two piece 10 gauge HRCQ steel floor with full seam weld down the center
- Complete immersion in Knapheide's electrodeposition prime paint system provides superior corrosion resistance
- Bodies are fully protected with Knapheide's water based undercoat

AVAILABLE MODELS

Model	Sides	Chassis Class 3–Class 5	Understructure Style	Capacity (yards)	Length	Side Height	Hoist Model	Hoist Capacity
KDBF912A	Fixed	60 CA	Crossmemberless	2.49	9'6"	12"	KHA-1516SF	8.7 Tons
KDBF916A	Fixed	60 CA	Crossmemberless	3.32	9'6"	16"		
KDBF1112A	Fixed	84 CA	Crossmemberless	3.03	11'6"	12"	KHA-1520SF	8.6 Tons
KDBF1116A	Fixed	84 CA	Crossmemberless	4.04	11'6"	16"		
KDBFCS912A	Fixed	60 CA	Stacked Crossmembers	2.49	9'6"	12"	KHA-1516SF	8.7 Tons
KDBFCS916A	Fixed	60 CA	Stacked Crossmembers	3.32	9'6"	16"		
KDBFCS1112A	Fixed	84 CA	Stacked Crossmembers	3.03	11'6"	12"	KHA-1520SF	8.6 Tons
KDBFCS1116A	Fixed	84 CA	Stacked Crossmembers	4.04	11'6"	16"		
KDBDS912A	Drop	60 CA	Crossmemberless	2.49	9'6"	12"	KHA-1516SF	8.7 Tons
KDBDS916A	Drop	60 CA	Crossmemberless	3.32	9'6"	16"		
KDBDS1112A	Drop	84 CA	Crossmemberless	3.03	11'6"	12"	KHA-1520SF	8.6 Tons
KDBDS1116A	Drop	84 CA	Crossmemberless	4.04	11'6"	16"		



Crossmemberless Understructure



Stacked Crossmember Understructure



SUBFRAME HOISTS

- ED models are powered by a 12 volt pump with a pendant switch control
- DC models are powered by a PTO direct mount pump with push/pull control cables
- Double acting hoist provides power up and down
- Rugged steel lift arm construction provides stable lifting with smooth movement up and down

CAB PROTECTORS

Model	Style	Application	Height	Net Weight (lbs)
KCP-025S21A-P	Straight Quarter Cab	2-3 Yard Dumps	21.5"	138
KCP-025S17A-P	Straight Quarter Cab	3-4 Yard Dumps	17.5"	122
KCP-025T21A-P	Tapered Quarter Cab	2-3 Yard Dumps	21.5"	118
KCP-025T17A-P	Tapered Quarter Cab	3-4 Yard Dumps	17.5"	104
KCP-100S21A-P	Straight Full Cab	2-3 Yard Dumps	21.5"	241
KCP-100S17A-P	Straight Full Cab	3-4 Yard Dumps	17.5"	225



Tapered Quarter Cab Protector



Straight Quarter Cab Protector



Straight Full Cab Protector

POPULAR OPTIONS



LED Lights



Tarp



Body Raise Indicator



Underbody Toolbox



Knap Pack



Poly Board Extensions



ICC Bumper



Class V Receiver Hitch



Metering Chute



Since 1848, The Knapheide Manufacturing Company has continued to be an industry leader, with a vast distribution network and expert staff ready to help.



COMMITMENT TO CORROSION RESISTANCE

Corrosion shouldn't be a concern when you buy quality Knapheide products. To give you the best protection from corrosion, we installed our state-of-the-art, custom-designed electrodeposition prime paint system. Our E-coat system bonds prime paint to steel by an electroplating process, to give you a superior coat of primer resulting in better corrosion protection compared to spraying methods. Complete immersion in our E-coat results in a prime coat that provides the best chemical and solvent resistance.

Because of our commitment to corrosion resistance, you should never worry about the quality of your Knapheide products.



- No Rust Through
- Free from Defects in Workmanship
- Free from Defects in Materials



SINCE 1848


The Knapheide Manufacturing Company
1848 Westphalia Strasse | Quincy, Illinois 62305

(217) 222-7131

www.knapheide.com

knapheide@knapheide.com

For more information:



Specifications subject to change without notice. Some models shown with optional equipment.